




PURE & CLEAN⁺



PORTABLE AIR PURIFICATION SYSTEM

READ MANUAL CAREFULLY FOR PROPER USE AND OPERATION.



2017 Space Technology
Hall of Fame Inductee

Nature's Healthy Ions

GENERAL INFORMATION

PRODUCT OVERVIEW

Congratulations, you have purchased one of the most effective, technologically advanced air purifiers available. Your new Aerus Pure & Clean+ is designed to provide years of trouble-free, low maintenance operation. Be sure to read and follow all service procedures outlined in this owner’s manual, and use only genuine Aerus replacement parts available from your Independent Distributor/Contractor.

CONTENTS

Introduction.....2

Specifications2

Important Safety Instructions3

Your New Aerus Pure & Clean+.....4

Inspection & Installation4

Unit Features4

Operation5

Placement of Unit5

Settings & Adjustments.....6

LED Display6

Maintenance Reminders.....7

General Maintenance.....8

Optional HEPA Filter Sheet..... 9

Removing the Filter Assembly9

Removing the Purifier Plate & ActivePure® Cell 10

Installing the ActivePure® Cell & Purifier Plate 10

Troubleshooting..... 11

Replacement Parts 12

Warranty Information..... 13

SPECIFICATIONS

Electrical:

- 100 ~ 240 VAC 50/60 Hz External Power Supply
- DC 24 Volts
- 1.5 Amps Max.
- 43 Watts maximum power consumption
- Positive and Negative ion generation

Size:

- Dimensions:
11.75" high x 9.5" wide x 10" deep
- Weight: 7.6 pounds

Purification Plate Output (High Mode):

- > 2.0 ppm ozone

Coverage:

- Covers a range of 500 sq. ft. (42 m²) to 3,000 sq. ft. (279 m²)**

** Depends on variables such as severity and frequency of pollution, humidity, and temperature.

Warranty:

- Three (3) year limited warranty

FILL IN AND SAVE

Please record the name and phone number of your Independent Distributor/Contractor here, and retain it for future reference.

Name _____

Phone _____

Serial # _____

If you have any questions concerning this, or any Aerus product, contact your Independent Distributor/Contractor or Aerus Customer Service at 800.243.9078 (U.S.) or 800.668.0763 (CANADA).

IMPORTANT SAFETY INSTRUCTIONS



- WARNING:**
- When using electrical appliances, basic precautions should always be followed to reduce risk of fire, electric shock, and injury to persons, including the following:
 - Eye damage may result from directly viewing the light produced by the lamp used in this product; always turn off & unplug unit before removing filters or bulbs
 - Do not operate this unit without the Filter Assembly AND Back Cover installed
 - Disconnect power cord before servicing



- CAUTION:**
- The Depart Mode feature of this unit is to be operated in unoccupied areas only. No people or pets should be in the area
 - Allow your Aerus Pure & Clean+ to warm to room temperature before operating; damage may result from turning on a cold unit



- CAUTION:** Do not operate unit near heat sources, open flame, or combustible vapors or gases.

Read this manual in its entirety before using your Aerus Pure & Clean+

- NEVER locate air cleaner where it may fall into a bathtub or other water container; to protect against electrical hazards, DO NOT immerse in water or other liquids
- DO NOT touch the control panel or plug with a wet hand
- DO NOT run cord under carpeting; DO NOT cover cord with throw rugs, runners, or similar coverings; arrange cord away from traffic area and where it will not be tripped over
- DO NOT insert or allow foreign objects to enter any ventilation or exhaust opening as this may cause an electric shock or fire, or damage the air cleaner
- To prevent a possible fire, DO NOT block the air intakes or exhaust in any manner; DO NOT use on soft surfaces, like a bed, where openings may become blocked
- To avoid fire or shock hazard, plug the unit directly into an electrical outlet
- To disconnect air cleaner, turn controls to OFF, then remove plug from outlet; pull firmly on the plug, DO NOT unplug by pulling on the cord
- Always unplug the unit before moving or cleaning, or whenever the air cleaner is not in use
- DO NOT use outdoors or on wet surfaces
- DO NOT attempt to repair or adjust any electrical or mechanical functions on this unit, doing so will void your warranty
- Connect to properly grounded outlets only
- To reduce the risk of electrical shock, do not change the plug in any way; do not use adaptors

SAVE THESE INSTRUCTIONS



YOUR NEW AERUS PURE & CLEAN+

- Removes airborne and surface contaminants like mold, bacteria, fungi and viruses
- Includes our exclusive patented ActivePure® Technology (#9.867.897)
- Reduces odors, smoke and tobacco smells
- Improves the quality of indoor air and surfaces, up to 3,000 sq. ft. (279 m²)
- Safe for human, pets and plants when used as directed
- New patented purification plate design
- New patented cell design
- Customizable to your environment, using the controls on the front of the unit
- Maintenance Reminders alert you when normal maintenance needs to be performed or service is required


INSPECTION & INSTALLATION

1. Remove protective packaging
2. Remove unit from shipping carton
3. Remove all protective materials
4. Check for shipping damage and loose or broken parts
5. Read Owner's Manual thoroughly prior to installation
6. Determine placement location for the unit (See "Placement of Unit" on page 5)
7. Insert the Power Supply Plug into the power receptacle on the rear of the unit. Plug the appropriate cord into the Power Supply and into a working electrical outlet
8. Using the Power button, turn the unit ON

UNIT FEATURES



- Exclusive ActivePure® Technology
- Positive and Negative Multipoint and RF Ion Generation
- Five Speed Fan
- Adjustable Purifier Control (A·PURE+ only)
- LED Display
- Depart Room Mode w/Adjustable Digital Timer
- Maintenance Reminders
- Replaceable ActivePure® Cell
- Removable Rear Grill
- Universal Power Supply with cords



OPERATION


1. Adjust the fan speed to your preference, keeping in mind that higher fan speeds will give better results.
2. Using the A-PURE/A-PURE+ button, set the unit to A-PURE, for typical use, or A-PURE+, for increased smoke and odor control.
3. For A-PURE+ MODE, using the Purifier Up and Purifier Down buttons, adjust the purification level to its lowest setting (500 sq. ft. (46 m²)) for the first 24 hours of operation, then gradually adjust up (if needed) to the square footage of the indoor area.

NOTE: If you are operating your central heating and air conditioning fan or other ventilation system continuously, set the coverage up to the total ventilated indoor area. Otherwise, set the coverage up to the size of the room. Do not exceed the size of the ventilated indoor area when setting the purifier level.


A-PURE MODE: The unit's display shows the fan speed (low to high) and A-PURE to indicate that the ActivePure® Cell and ionization are both functioning normally.

A-PURE+ MODE: A-PURE+ lights up, adjustable purifier coverage (500/1000/2000/3000) in square feet and fan speed (1/2/3/4/5).

POWER OUTAGES: Memory before power off settings.



4. To operate the DEPART ROOM feature, **in unoccupied areas only,*** press the DEPART ROOM button until the desired time is reached (2/4/8 hours). The unit will display DEPART ROOM and the remaining time. To interrupt the DEPART ROOM, press the A-PURE/A-PURE+ button.




NOTE: "Unoccupied areas" includes pets. Some pets, like humans, may experience adverse reactions from exposure to increased levels of ozone and should not be present during DEPART ROOM MODE operation.

DEPART ROOM MODE: The fan will show maximum, and DEPART ROOM will replace the purifier setting. The amount of time (2/4/8 hours) remaining will depend on how long you have selected for the DEPART ROOM Mode to operate, by pressing the Depart Room button.

PLACEMENT OF UNIT



CAUTION: To prevent injury, be sure the power cord is not accessible to small children.



Suggested locations listed in the order of preference:

1. Nearest the source of the worst pollution.
2. Near a cold-air return to thoroughly circulate the benefits of your Aerus Pure & Clean+ throughout the area.
3. In the area most heavily used to achieve maximum benefit.

NOTE: The rear of the unit should always have at least one inch of open area to allow unrestricted airflow.

SETTINGS & ADJUSTMENTS

The Aerus Pure & Clean+ can be turned on or off, and adjusted, using the control panel on the front of the unit.

NOTE: If you are operating your central heating and air conditioning fan or other ventilation system continuously, set the coverage up to the total ventilated indoor area. Otherwise, set the coverage up to the size of the room. Do not exceed the size of the ventilated indoor area when setting the purifier level.

POWER (stand by)
Turns the unit ON and OFF.

FAN UP/FAN DOWN
Adjusts the five speed fan.


AREA A·PURE+
Works when unit is in A·PURE+ Mode to set the purifier level for the indoor area. The level is indicated by both a horizontal bar graph and square footage. The unit will switch to A·PURE Mode, if the Purifier DOWN button is pressed.

A·PURE/A·PURE+
Toggles the unit between A·PURE Mode (ActivePure® and Ionization) and A·PURE+ Mode (ActivePure®, Ionization, and Purification Plate).

DEPART ROOM
Turns on and adjusts the timer for the Depart Room Mode. Each press of the Depart Room button will change the time by 2/4/8 hours, up to eight hours, then off. The Depart Room Mode should be operated in unoccupied areas only.

NOTE: “Unoccupied areas” includes pets. Some pets, like humans, may experience adverse reactions from exposure to increased levels of ozone and should not be present during Depart Room Mode operation.

REMINDER RESET
Clears the maintenance reminders after performing routine maintenance.




LED DISPLAY

The LED Screen is used to display all current settings (see page 5) as well as any maintenance reminders.

NOTE: If you are operating your central heating and air conditioning fan or other ventilation system continuously, set the coverage up to the total ventilated indoor area. Otherwise, set the coverage up to the size of the room. Do not exceed the size of the ventilated indoor area when setting the purifier level.

If a maintenance reminder or a service reminder appears, the backlight will brighten and constantly flash until the Reminder Reset icon is pressed or the service problem is corrected.



MAINTENANCE REMINDERS

When maintenance is required, the Display Screen will brighten and flash and the maintenance reminder will appear.



WARNING: Unplug the unit before performing any maintenance procedures.



WARNING: This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.

REPLACE PLATE

The Purifier Plate is not functioning properly.

- Replace the old Purifier Plate with a new Purifier Plate (available from your local Independent Distributor/Contractor)

PERFORM CLEANING


CLEAN (approx. every 30 days)

- Clean the Filter Assembly (see page 9)
- Vacuum the ActivePure® Cell
- Clean the Purifier Plate (see page 9)
- Vacuum Top and Rear Grill Openings

NOTE: Be sure to press the Reminder Reset icon to clear the reminder following regular maintenance (see below).

When the CLEAN indicator starts flashing, it reminds you need to clean the filter.

Follow the steps below to remove the filter and clean it. Long press the RESET button for 3 seconds under the power-on state, you will hear a beep sound to let you know the reminder has been cleared.



WARNING: Do not operate the Aerus Pure & Clean+ without the Filter Assembly and Back Cover properly installed.

REPLACE ACTIVEPURE® CELL

The ActivePure® Cell is no longer working correctly.

- Replace the ActivePure® Cell (replacement cells are available from your local Aerus Distributor)

NOTE: The ActivePure® Cell should be replaced every two (2) years, even if the unit does not display this message.

When the CELL indicator starts flashing, you will need to perform the following operations to reset:

- After 1 year of cumulative use, the CELL indicator starts flashing. After the user replaces the new Active Pure® Cell according to the operation steps on page 11 of the manual, long press the RESET icon for 3 seconds under the power off I standby state, you will hear a beep sound to let you know the reminder has been cleared.

When the CELL indicator starts flashing in red, you will need to perform the following operations to reset:

- The Cell indicator flashes in red to remind the user that Active Pure® Cell is not properly installed. After disconnecting the power supply, reinstall Active Pure® Cell and check whether the socket is installed properly. After the installation is successful, there is no need to press the RESET icon, the red light will automatically turn off. After the above operations, if the indicator remains flashing in red, ActivePure® Cell is possibly damaged.

RESETTING THE REMINDERS

The reminders you need to reset are the PERFORM CLEANING and REPLACE ACTIVEPURE® CELL indicators (after performing maintenance, press the Reset icon and the screen will stop flashing to let you know the reminder has been cleared, please see above instructions for each indicator.)

GENERAL MAINTENANCE



WARNING: Unplug the unit before performing any maintenance procedures.

Periodic maintenance is required to ensure that your Aerus Pure & Clean+ operates properly. The unit will display a PERFORM CLEANING reminder when it's time to perform regular maintenance. If you are operating your unit in a severely polluted environment, cleaning of the unit, Purifier Plate, ActivePure® Cell, and Filter Assembly should be done more frequently. Shown here are basic procedures that should be carried out to keep your unit running at top performance.

For optimal performance, and to prevent damage not covered by your warranty, install the Optional HEPA Filter. Failure to perform routine maintenance could adversely affect the proper function of the unit or cause it to fail prematurely.

NOTE: If a unit is returned for repair, and it is determined that neglect of the unit or unauthorized tampering with any mechanical or electronic component of the unit caused the failure, Aerus reserves the right to void the product warranty. This will require the owner to pay for any required repairs.

CLEANING THE CASE

Wipe the unit with a soft cloth dampened (not wet) with water. Do not use chemicals or solvents. Vacuum the Top and Rear Grills periodically to remove any lint buildup.

CLEANING THE ACTIVEPURE® CELL

Remove the ActivePure® Cell and carefully vacuum accumulated lint. Do not wash the ActivePure® Cell. Damage from water may result.

FILTER ASSEMBLY CLEANING

1. When visibly dirty, simply remove the Rear Filter Assembly from the unit (see pages 7 - 8), and with a hand-held vacuum, remove the heavy particulate. This method will extend the life of the Filter Assembly.
2. If the Filter Assembly can't be cleaned by vacuuming, replace the Filter Assembly.

FILTER ASSEMBLY REPLACEMENT

Contact your Independent Distributor/Contractor for replacement filters. See pages 8 - 9 for removal and installation instructions.

NOTE: Filter Assembly life will vary based on the operating environment

CLEANING THE PURIFIER PLATE



CAUTION:

- Damage may result from soaking the Purifier Plate longer than 10 minutes
- Damage may result from using a Purifier Plate when not completely dry

Remove the Filter Assembly (see page 9). Carefully remove the Purifier Plate from the card cage by grasping the middle of the edge nearest to you, and slowly pull it straight out. If you are in an environment where there are fats, oils, or grease, such as in a kitchen, start by cleaning with denatured alcohol and a soft bristle brush. This will cut the grease without leaving a residue.

For all applications - Clean with a mixture of one part water and one part ammonia to remove contaminants. Place the plate into a shallow dish, and pour enough of the water/ ammonia solution into the dish to just cover plate. Allow the plate to soak for no more than 10 minutes.

Remove plate and scrub with a soft bristle brush. Rinse thoroughly. **Let air-dry for 24 hours or use a blow dryer to dry thoroughly.**

NOTE: Using a Purifier Plate that is NOT completely dry may damage the plate.

The unit will display a REPLACE PLATE message if the purification plate needs to be replaced.

CHANGING THE ACTIVEPURE® CELL

The ActivePure® Cell should be replaced when REPLACE ACTIVEPURE® CELL appears on the display, or twelve (12) months when used continuously or two (2) years if used less than 12 hours a day, whichever comes first. To change the ActivePure® Cell, follow the instructions on page 10.

UNINSTALLING THE OPTIONAL HEPA FILTER SHEET




WARNING: Unplug the unit before performing any maintenance procedures.

The Optional HEPA Filter Sheet is designed specifically for areas with tobacco smoke, multiple pets, or anywhere excessive levels of contamination are in the air.


- Protects your air purifier from indoor contaminants, which may shorten the life of your product
- Reduces monthly maintenance and cleaning time up to 90%
- Helps reduce odors
- Great in kitchen environments
- Helps reduce VOC's and other contaminants

NOTE: Removing the optional HEPA filter sheet will increase the airflow of the unit.




1a. Remove the Filter Assembly (see below).

1b. Place the HEPA Filter Sheet on top of the Prefilter.



2. Replace the Filter Assembly, inserting the bottom of the Filter Assembly first.



3. Replace the Back Cover by inserting the bottom in first and snapping into place.

REMOVING THE FILTER ASSEMBLY




WARNING: Unplug the unit before performing any maintenance procedures.




WARNING: Do not operate the Aerus Pure & Clean+ without the Filter Assembly and Back Cover properly installed.




1. Unplug unit.




2. Press the top of the Back Cover to release the back panel.



3. Lift up to remove the back panel.



4. Press the tab down release the Filter Assembly.




5. Lift the Filter Assembly up and out to remove.

REMOVING THE PURIFIER PLATE & ACTIVEPURE® CELL

WARNING: • Unplug the unit before performing any maintenance procedures
• Do not operate the Aerus Pure & Clean+ without the Filter Assembly and Back Cover properly installed


CAUTION: Do not look directly at the glowing lamp. Prolonged exposure, even to reflected UV light, can cause eye damage according to the American Conference of Governmental Industrial Hygienists (ACGIH) Standards.

NOTE: Use genuine Aerus replacement parts only. Parts from anyone other than Aerus may damage your unit and void your warranty.




1. To remove the Purification Plate, grasp edge of plate in the center and gently pull out.


NOTE: If the plate is difficult to remove, gently press down on the lower metal contact tab.




2. Unlock the ActivePure® Cell connector by pressing on the connector's locking tabs.



3. Pull the connector straight out to unplug.



4. Remove two (2) thumbscrews.




5. Slide the ActivePure® Cell down and out of unit.


INSTALLING THE PURIFIER PLATE & ACTIVEPURE® CELL

WARNING: • Unplug the unit before performing any maintenance procedures
• Do not operate the Aerus Pure & Clean+ without the Filter Assembly and Back Cover properly installed


When installing the Purification Plate, be sure the metal tabs are making contact with the screen on each side of the plate.




1. Slide the ActivePure® Cell up and into the unit. Be sure the back lip of the ActivePure® Cell engages the two slotted protrusions at the rear of the plate cage, and that the angle brackets and studs are correctly aligned.



2. Insert the two thumbscrews and tighten. Insert the ActivePure® Cell connector into the plug on the plate cage.




3. Press the connector firmly until the two tabs lock into place.



4. Gently insert the Purifier Plate between the guides (inside the cage) until it stops.



5. Replace the Filter Assembly, inserting the bottom of the Filter Assembly first.



6. Replace the Back Cover by inserting the bottom in and snapping into place.

TROUBLESHOOTING

INDICATORS OF OPERATION

When the unit is on, the LED display will show either the fan setting and A-PURE, or the fan setting, purifier setting, and square footage. If the unit is in Depart Room, it will display DEPART ROOM plus the hours and minutes remaining. See page 5 for more information.

TROUBLESHOOTING - WHAT TO LOOK FOR FIRST.

1. I have plugged in the unit, pressed the ON button on the Aerus Pure & Clean+ and nothing happens. What's wrong?

- Make sure the power cord is inserted completely into the receptacle on the back of the unit
- Make sure the electrical outlet is capable of providing power to the unit

If you are operating your central heating and air conditioning fan, or other ventilation system continuously, set the coverage up to the total ventilated indoor area. Otherwise, set the coverage up to the size of the room. Do not exceed the size of the ventilated indoor area when setting the purifier level.

NOTE: The DEPART ROOM should be operated in unoccupied areas only. "Unoccupied areas" includes pets. Some pets, like humans, may experience adverse reactions from exposure to increased levels of ozone and should not be present during Depart Room operation.

2. The fan is operating but the Purifier Plate is not working. What's wrong?

- The unit is in A-PURE Mode (press the A-PURE/A-PURE+ switch to change to A-PURE+ Mode)
- If the unit is displaying a REPLACE PLATE message, check the Purifier Plate for serviceability; if it is cracked or broken, the Purifier Plate will require replacement

NOTE: Ensure maintenance procedures required for the Purifier Plate have been performed according to the "Maintenance" section of this Owner's Manual. Order new Purifier Plates from your Independent Distributor/Contractor.

3. The Purifier Plate is making a noise, has a burning smell, and/or appears to arc or spark. What is the problem?

- The Purifier Plate is most likely cracked; the unit will display a REPLACE PLATE message
- Refer to the answers for question# 2, as it would apply to this question also

4. The UV Lamp is not functioning/I'm getting a "Replace ACTIVEPURE® Cell" Message.

- Check ActivePure® Cell for proper installation
- Replace the ActivePure® Cell

5. What are the most typical application problems?

- **Symptom:** A belief that the proper equipment is placed in the environment and the equipment appears unsuccessful
Problem: Lack of air movement, improper placement of the unit
- **Symptom:** Strong odors still remain within the environment after placement
Problem: Purifier setting is too low, improper placement of the unit, or the source of the odor has not been eliminated
- **Symptom:** A strong odor of ozone is present within the environment
Problem: Too much ozone accumulation within the environment as a result of improper purifier control setting, and/or lack of air movement
- **Symptom:** Visual haze of smoke and/or particulate remain within the environment
Problem: Lack of ionization and/or air movement

TROUBLESHOOTING (CONTINUED)

6. Air flow is restricted or reduced

- Is the unit properly placed away from objects that may obstruct air flow?
- Are the Filter Assembly, Back Cover, and Top and Rear Grill clean?
- Is the ActivePure® Cell clean?

7. How can I tell if the Active Pure® Cell is functioning?

- The ActivePure® Cell will produce a glow that is visible through the Top and Rear Grill under low light conditions

8. Unit does not operate.

- Is the unit plugged in?
- Are you sure the outlet is active?
- Are the Filter Assembly and Back Cover installed properly?

If your unit fails to operate properly after performing troubleshooting contact your Independent Distributor/Contractor or Aerus Customer Service for further assistance at 800.243.9078 (U.S.) or 800.668.0763 (CANADA) or email customerservice@aerusonline.com

REPLACEMENT PARTS LIST

Item # 50106: ActivePure® Cell

Item # 50109: Purification Plate (not available in California)

Item # 50107: Filter Assembly

Item # 50108: Power Supply with U.S. / Euro Plug

To order replacement parts, contact your Independent Distributor/Contractor or Aerus Customer Service for further assistance at 800.243.9078 (U.S.) or 800.668.0763 (CANADA) or email customerservice@aerusonline.com.

LIMITED THREE (3) YEAR WARRANTY

WHAT IS COVERED BY THIS WARRANTY

We warrant the Aerus Pure & Clean+ (excluding filters and purification plates) to the consumer, subject to the conditions below, against defects in workmanship or material, provided that the products are returned to a service location within the following time periods:

- Aerus Pure & Clean+ within three (3) years from date of purchase
- ActivePure® Cell within one (1) year from date of purchase

INSTALLATION AND MAINTENANCE REQUIREMENTS

This warranty is expressly conditioned upon proper installation, operation, cleaning and maintenance, all in accordance with the Owner's Manual. Failure to meet any of these requirements will void this warranty. Servicing of your Aerus Pure & Clean+ by parties other than our authorized representative and/or using parts other than genuine parts will also void this warranty.

HOW TO OBTAIN WARRANTY SERVICE

Customer must contact Aerus Customer Service or their Independent Distributor/Contractor and provide proof of purchase within the above time period. We will repair or replace and return the product, without charge and within a reasonable period of time, subject to the conditions in the above paragraphs, if its examination shall disclose any part to be defective in workmanship or material. If we, in our discretion, are unable to repair the product after a reasonable number of attempts, we will provide either a refund of the purchase price or a replacement unit, at the company's option.

WHAT IS NOT COVERED BY THIS WARRANTY

Ordinary wear and tear shall not be considered a defect in workmanship or material. These warranties do not apply to filters nor for loss or damage caused by accident, fire, abuse, misuse, improper installation, modification, misapplication, or by any repairs other than those provided by our authorized Service Center.

MISSING SERIAL NUMBERS AND UNAUTHORIZED CHANNELS

If a valid serial number is missing from the product, the warranty will be voided. Aerus products are authorized for sale through Independent Distributor/Contractors only. Warranties are voided if a product is purchased through unauthorized channels, this includes websites that are not authorized to sell our products OR to use Aerus trademarked names, images and logos as well as Internet auction sites (e.g. ebay and Craigslist). The only approved Internet presence for Aerus products is www.aerushome.com. To confirm warranty coverage prior to purchasing a product, contact Aerus at 800.243.9078 (U.S.) or 800.668.0763 (CANADA) with the serial number located on the back of the unit.

EXCLUSION OF OTHER WARRANTIES AND CONDITIONS

EXCEPT AS PROVIDED HEREIN, WE MAKE NO REPRESENTATION OR WARRANTY OF ANY KIND. ALL OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, ARE HEREBY EXPRESSLY DISCLAIMED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

LIMITATION OF LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES

WE SHALL NOT IN ANY CASE BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM BREACH OF EXPRESSED OR IMPLIED WARRANTIES, CONDITIONS, GUARANTEES OR REPRESENTATIONS, BREACH OF CONTRACT, NEGLIGENCE OR ANY OTHER LEGAL THEORY. Such excluded damages include, but are not limited to, loss of profits or revenue, and loss of the use of the products.

FOR U.S. APPLICATION ONLY

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow limitations on warranties, or on remedies for breach. In such states, the above limitations may not apply to you.

FOR CANADIAN APPLICATION ONLY

Exclusion of Subsequent Owners: Except as otherwise required by applicable legislation, this warranty is not transferable. This warranty gives you specific legal rights and you may also have other rights which vary from province to province. Some provinces and territories do not allow limitations on warranties, or on remedies for breach. In such provinces or territories, the above limitations may not apply to you. If any provision of this warranty or part thereof is held by a court of competent jurisdiction to be invalid, illegal, or unenforceable, the validity, legality and enforceability of the remaining provisions or parts thereof will not in any way be affected or impaired within the jurisdiction of that court. This entire warranty shall continue to be valid, legal and enforceable in any jurisdiction where a similar determination has not been made.

This warranty is provided by:

Aerus, LLC
300 East Valley Drive
Bristol, VA 24201

SERVICE

Every effort is made to ensure customers receive an up-to-date instructions manual on the use of our products; however, from time to time, modifications to our products may without notice make the information contained herein subject to alteration. For the latest information, please visit our website at www.aerushome.com.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant of part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the Independent Business Owner for help.

FCC Declaration of Conformity

Name: Aerus Pure & Clean⁺


Model: A1041A

Manufacturer: Aerus, LLC

This device complies with Part 15 of the FCC Rules.

RESPONSIBLE PARTY


Aerus, LLC
300 East Valley Drive
Bristol, VA 24201
Ph: 800.243.9078 (U.S.)

Signature: 

Printed Name: Andrew Eide

Title: Vice President of Product Development
and Manufacturing

Date: 06/26/2020



For information regarding the use of this product please call Customer Service.

800.243.9078 (U.S.)

800.668.0768 (CANADA)

www.aerushome.com

Aerus, LLC | 300 East Valley Drive | Bristol, VA 24201 | 800.243.9078

© 2020 Aerus LLC. All Rights Reserved